

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)

Printed 15.10.2020
revision 15.10.2020 (GB) Version 1.5
Sanosil Perox25 ME

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Sanosil Perox25 ME

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Sector of uses [SU]

SU20 - Health services

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product categories [PC]

disinfectants

Recommended intended purpose(s)

Disinfectant

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor

Sanosil MENA LLC.
UAE/Dubai, Dubai Investment Park 2.
Phone +971 4 338 1715, E-mail info@sanosil-mena.com

Advice

Department of product safety
Phone +41 55 254 00 54 (available at office times)
E-mail (competent person):
info@sanosil.com

1.4. Emergency telephone number

Emergency advice

Swiss toxicological Information Center
Phone 145 / +41 44 251 51 51

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to 67/548/EEC or 1999/45/EC

Xn; R22

Xi; R41

R-phrases

22 Harmful if swallowed.

41 Risk of serious damage to eyes.

Additional hints

The preparation is classified as hazardous according Directive 1999/45/EC.

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)

Printed 15.10.2020
revision 15.10.2020 (GB) Version 1.5
Sanosil Perox25 ME

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
--------------------------------------	-------------------	--------------------------

Acute Tox. 4	H302
Eye Dam. 1	H318

Hazard statements for health hazards

H302	Harmful if swallowed.
H318	Causes serious eye damage.

Additional hints

The classification is according to the latest editions of the EU-lists, and extended by company and literature data. This mixture is classified as hazardous according to Regulation (EC) No 1272/2008 [GHS].

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS05



GHS07

Signal word

Danger

Hazard statements for health hazards

H302	Harmful if swallowed.
H318	Causes serious eye damage.

Precautionary Statements

Response

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Disposal

P501 Contents / container hand over to an approved waste disposal facility.

Hazardous ingredients for labeling
hydrogen peroxide solution 25%

2.3. Other hazards

No information available.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)

Printed 15.10.2020
revision 15.10.2020 (GB) Version 1.5
Sanosil Perox25 ME

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Hazardous ingredients & water

CAS No	EC No	Name	[%]	Classification according to 67/548/EEC
7722-84-1	231-765-0	hydrogen peroxide solution ...%	25	R5; O R8; C R35; Xn R20/22
7440-22-4	231-131-3	Silver (stabilizer)	0.025	
7732-18-5	231-791-2	water	74.975	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

In the event of persistent symptoms receive medical treatment.

In case of inhalation

Remove the casualty into fresh air and keep him immobile.

If intensive inhalation of fumes seek medical treatment immediately.

In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

If swallowed seek medical advice immediately and show the doctor packing or label.

Rinse out mouth thoroughly with water.

Give plenty of water to drink in small sips.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Alcohol-resistant foam

Dry powder

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire gas of organic material has to be classed invariably as respiratory poison.

In case of fire formation of dangerous gases possible.

Carbon monoxide (CO)

Carbon dioxide (CO₂)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Additional information

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin and eyes.

Ensure adequate ventilation.

Remove persons to safety.

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Ensure adequate ventilation.

Send in suitable containers for recovery or disposal.

Take up with absorbent material (e.g. general-purpose binder).

Do not take up with sawdust or other combustible materials.

Additional Information

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

Informations for disposal see chapter 13.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)

Printed 15.10.2020
revision 15.10.2020 (GB) Version 1.5
Sanosil Perox25 ME

6.4. Reference to other sections
No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.

Open and handle container with care!

Use only in well-ventilated areas.

Do not use without breathing apparatus longer than 30 minutes per day. If you use longer, use breathing apparatus (Kap. 8.2)

General protective measures

Take the usual precautions when handling chemicals.

Avoid contact with the eyes.

Hygiene measures

At work do not eat, drink and smoke.

Remove soiled or soaked clothing immediately.

Keep away from food and drink.

Wash hands before breaks and after work.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep out of reach of children.

Ventilate store-rooms thoroughly.

Keep only in original container.

Advice on storage compatibility Do

not store with oxidizing agents. Store

and transport separate of food.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Protect from heat and direct solar radiation.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m ³]	[ppm]	Remark
7722-84-1	hydrogen-peroxide	MAK, 8 hours	0.71	0.5	DFG, OSHA,
		Short-term	0.71	0.5	SUVA

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)

Printed 15.10.2020
revision 15.10.2020 (GB) Version 1.5
Sanosil Perox25 ME

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC, 2006/15/EC or 2009/161/EU)

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
--------	------	------	---------	-------	--------

No data available

8.2. Exposure controls

Respiratory protection

No special measures necessary if used correctly.
Breathing apparatus in the event of high concentrations.
Short term: filter apparatus, special gas filter, NO-P3

Hand protection

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: nitrile rubber or butyle rubber; 0,5 mm; ca 480 Min.

Please observe the glove manufacturer's instructions on permeability and ruptur times as well as the specific workplace conditions.

Eye protection

safety goggles with side protection

Other protection measures

Light protective clothing.

Appropriate engineering controls

Avoid contact with skin and eyes.

Care for thorough room ventilation, if necessary provide local air ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Colour	Odour
liquid	colourless	odourless

Odour threshold
not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	2 - 2,5	20 °C			
boiling point	> 100 °C				
melting point	ca. 0 °C				
Flash point	not applicable				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)

Printed 15.10.2020
revision 15.10.2020 (GB) Version 1.5
Sanosil Perox25 ME

	Value	Temperature	at	Method	Remark
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	23 hPa	20 °C			
Relative density	1 g/cm ³	20 °C			
Vapour density	not determined				
Solubility in water					vollständig mischbar
Solubility/other	not determined				
Partition coefficient n-octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity	not determined				
Oxidising properties	not applicable				
Explosive properties	The product is not explosiv.				
9.2. Other information	No information available.				

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Keine Zersetzung bei bestimmungsgemässer Lagerung und Handhabung.

10.5. Incompatible materials

Materials to avoid

Reactions with strong oxidising agents.

10.6. Hazardous decomposition products
No hazardous decomposition products known.
No decomposition if used as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	No data available.			
LD50 acute dermal	No data available.			
LC50 acute inhalation	No data available.			
Irritability skin	Due to the product composition slight irritations of the skin cannot be excluded.			
Irritability eye	irritant - risk of strong eye injuries			
Skin sensitization	non-sensitizing			

Experiences made from practice

Experiences at humans: may cause hypersensitivity reactions on skin in case of persons suffering from hypersensitivity.

Frequent persistent contact with the skin may cause skin irritation.

Frequent contact specially if dried out may cause skin and eye irritations.

Precautionary classification 'irritating' because of pH-value.

Additional information

The product was classified on the basis of the calculation procedure of the Regulation (EU) Nr. 1272/2008 (CLP).

The product has not been tested. The information is derived from the properties of the individual components.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

	Value	Species	Method	Validation
Fish	LC50 16,4 mg/l (96 h)	Pimephales promelas		
Daphnia	EC50 7,7 mg/l (24 h)	Daphnia magna		
Algae	IC50 2,5 mg/l (72 h)	Chlorella vulgaris		

12.2. Persistence and degradability

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)

Printed 15.10.2020
revision 15.10.2020 (GB) Version 1.5
Sanosil Perox25 ME

No information available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

Behaviour in sewage plant

When low concentrations are discharged correctly into adapted biological sewage treatment plants, interference with the degradation activity of activated sludge is not likely.

General regulation

Do not discharge into the drains/surface waters/groundwater.

Ecological dates are not available.

Do not allow uncontrolled leakage of product into the environment.

The information to ecology refers to main component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

16 05 07*

Name of waste

discarded inorganic chemicals consisting of or containing dangerous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

In accordance with regulations for special waste, must be taken to a special waste disposal.

Collect waste separated in suitable, labeled and lockable containers.

The waste disposal has to be proved.

Dispose of as hazardous waste.

Recommendations for packaging

Uncontaminated packaging may be taken for recycling.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	2014	2014	2014

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)

Printed 15.10.2020
revision 15.10.2020 (GB) Version 1.5
Sanosil Perox25 ME

	ADR/RID	IMDG	IATA-DGR
14.2. UN proper shipping name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
14.3. Transport hazard class(es)	5.1 (8)	5.1 (8)	5.1 (8)
14.4. Packing group	II	II	II
14.5. Environmental hazards	No	No	No

14.6. Special precautions for user
No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No information available.

Land and inland navigation transport ADR/RID
Hazard label(s) 5.1 (8)
tunnel restriction code E

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class 1
slightly hazardous to waters, self-classification

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 20/22 Harmful by inhalation and if swallowed.

R 34 Causes burns.

R 35 Causes severe burns.

R 5 Heating may cause an explosion.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 8 Contact with combustible material may cause fire.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)

Printed 15.10.2020
revision 15.10.2020 (GB) Version 1.5
Sanosil Perox25 ME

- H271 May cause fire or explosion; strong oxidiser.
- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.