

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Name of product Sanosil S010

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Identified uses

#### Sector of uses [SU]

SU20 - Health services

SU21 - Consumer uses: Private households (= general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Product categories [PC]

disinfectants

#### Recommended intended purpose(s)

Disinfectant

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer/distributor

Sanosil MENA LLC.  
Dubai Investment Park 2, Dubai, UAE  
Phone +971 4 887 8758, Email info@sanosil-mena.com

#### Advice

Department of product safety  
Phone +41 55 254 00 54 (available at office times)  
E-mail (competent person):  
info@sanosil.com

### 1.4. Emergency telephone number

#### Emergency advice

Swiss toxicological Information Center  
Phone 145 / +41 44 251 51 51

---

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to 67/548/EEC or 1999/45/EC

Xi; R36

#### R-phrases

36 Irritating to eyes.

#### Additional hints

The preparation is classified as hazardous according Directive 1999/45/EC.

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

This mixture is classified as hazardous according to Regulation (EC) No 1272/2008 [GHS].

---

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)

Printed 15.10.2020  
revision 15.10.2020 (EN) Version 1.5  
Sanosil S010

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
Skin Irrit. 2	H315	

Additional hints

The preparation is classified as hazardous according Directive 1999/45/EC.  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.  
This mixture is classified as hazardous according to Regulation (EC) No 1272/2008 [GHS].

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS07

Signal word

Warning

Hazard statements for health hazards

H315 Causes skin irritation.

Precautionary Statements

General

P102 Keep out of reach of children.

Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Disposal

P501 Contents / container hand over to an approved waste disposal facility.

Hazardous ingredients for labeling  
hydrogen peroxide solution 5%

2.3. Other hazards

No information available.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Hazardous ingredients and water

CAS No	EC No	Name	[%]	Classification according to 67/548/EEC
7722-84-1	231-765-0	hydrogen peroxide solution ...%	5	R5; O R8; C R35; Xn R20/22
7440-22-4	231-131-3	silver	0.005	
7732-18-5	231-791-2	water	94.995	

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)

Printed 15.10.2020  
revision 15.10.2020 (EN) Version 1.5  
Sanosil S010

---

Hazardous ingredients (continued)

CAS No	EC No	Name	[%]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
7722-84-1	231-765-0	hydrogen peroxide solution ...%	5	Ox. Liq. 1, H271 / Acute Tox. 4, H332 / Acute Tox. 4, H302 / Skin Corr. 1A, H314
7440-22-4	231-131-3	silver	0.005	
7732-18-5	231-791-2	water	94.995	

---

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.  
In the event of persistent symptoms receive medical treatment.

In case of inhalation

Remove the casualty into fresh air and keep him immobile.  
If intensive inhalation of fumes seek medical treatment immediately.  
In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off immediately with plenty of water.  
Consult a doctor if skin irritation persists.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

If swallowed seek medical advice immediately and show the doctor packing or label.  
Rinse out mouth thoroughly with water.  
Give plenty of water to drink in small sips.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Alcohol-resistant foam

Dry powder

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire gas of organic material has to be classed invariably as respiratory poison.

In case of fire formation of dangerous gases possible.

Carbon monoxide (CO)

Carbon dioxide (CO<sub>2</sub>)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Additional information

Cool endangered containers with water spray jet.

---

## SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin and eyes.

Ensure adequate ventilation.

Remove persons to safety.

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Ensure adequate ventilation.

Send in suitable containers for recovery or disposal.

Take up with absorbent material (e.g. general-purpose binder).

Do not take up with sawdust or other combustible materials.

Additional Information

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

Informations for disposal see chapter 13.

6.4. Reference to other sections

No information available.

---

## SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.

Open and handle container with care!

Use only in well-ventilated areas.

Do not use without breathing apparatus longer than 30 minutes per day. If you use longer, use breathing apparatus (8.2)

General protective measures

Take the usual precautions when handling chemicals.

Avoid contact with the eyes.

---

#### Hygiene measures

At work do not eat, drink and smoke.  
Remove soiled or soaked clothing immediately.  
Keep away from food and drink.  
Wash hands before breaks and after work.

Advice on protection against fire and explosion  
The product is not combustible.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels  
Keep out of reach of children.  
Ventilate store-rooms thoroughly.  
Keep only in original container.

Advice on storage compatibility Do  
not store with oxidizing agents. Store  
and transport separate of food.

Further information on storage conditions  
Keep container tightly closed and store at cool and aired place.  
Protect from heat and direct solar radiation.

#### 7.3. Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
7722-84-1	hydrogen-peroxide	MAK, 8 hours	0.71	0.5	DFG, OSHA
		Short-term	0.71	0.5	

#### 8.2. Exposure controls

##### Respiratory protection

No special measures necessary if used correctly.  
Breathing apparatus in the event of high concentrations.  
Short term: filter apparatus, special gas filter, NO-P3

##### Hand protection

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: nitrile rubber or butyle rubber; 0,5 mm; ca 480 Min.

Please observe the glove manufacturer's instructions on permeability and ruptur times as well as the specific workplace conditions.

##### Eye protection

safety goggles with side protection

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)

Printed 15.10.2020  
revision 15.10.2020 (EN) Version 1.5  
Sanosil S010

Other protection measures  
Light protective clothing.

Appropriate engineering controls  
Avoid contact with skin and eyes.  
Care for thorough room ventilation, if necessary provide local air ventilation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance liquid	Colour colourless	Odour odourless
----------------------	----------------------	--------------------

Odour threshold  
No information available.

### Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	2 - 2,5	20 °C			
boiling point	> 100 °C				
melting point	ca. 0 °C				
Flash point	not applicable				
Vapourisation rate	No information available.				
Flammable (solid)	No information available.				
Flammability (gas)	No information available.				
Ignition temperature	No information available.				
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	No information available.				
Upper explosion limit	No information available.				
Vapour pressure	23 hPa	20 °C			
Relative density	1 g/cm <sup>3</sup>	20 °C			
Vapour density	No information available.				
Solubility in water					Completely miscible
Solubility/other	No information available.				

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)

Printed 15.10.2020  
revision 15.10.2020 (EN) Version 1.5  
Sanosil S010

	Value	Temperature	at	Method	Remark
Partition coefficient n-octanol/water (log P O/W)	No information available.				
Decomposition temperature	No information available.				
Viscosity	No information available.				
Oxidising properties	not applicable				
Explosive properties	The product is not explosive.				
9.2. Other information	No information available.				

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

No information available.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

No decomposition if stored and handled according to specifications.

### 10.5. Incompatible materials

Materials to avoid

Reactions with strong oxidising agents.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

No decomposition if used as directed.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	No data available.			
LD50 acute dermal	No data available.			

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)

Printed 15.10.2020  
revision 15.10.2020 (EN) Version 1.5  
Sanosil S010

	Value/Validation	Species	Method	Remark
LC50 acute inhalation	No data available.			
Irritability skin	Due to the product composition slight irritations of the skin cannot be excluded.			
Irritability eye	irritant - risk of strong eye injuries			
Skin sensitization	non-sensitizing			

Experiences made from practice

Experiences at humans: may cause hypersensitivity reactions on skin in case of persons suffering from hypersensitivity.

Frequent persistent contact with the skin may cause skin irritation.

Frequent contact specially if dried out may cause skin and eye irritations.

Precautionary classification 'irritating' because of pH-value.

Additional information

The product was classified on the basis of the calculation procedure of the Regulation (EU) Nr. 1272/2008 (CLP).

The product has not been tested. The information is derived from the properties of the individual components.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicological effects

	Value	Species	Method	Validation
Fish	LC50 16,4 mg/l (96 h)	Pimephales promelas		
Daphnia	EC50 7,7 mg/l (24 h)	Daphnia magna		
Algae	IC50 2,5 mg/l (72 h)	Chlorella vulgaris		

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

No information available.

### 12.6. Other adverse effects

#### Behaviour in sewage plant

When low concentrations are discharged correctly into adapted biological sewage treatment plants, interference with the degradation activity of activated sludge is not likely.



---

#### General regulation

Do not discharge into the drains/surface waters/groundwater.  
Ecological dates are not available.  
Do not allow uncontrolled leakage of product into the environment.  
The information to ecology refers to main component.

---

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste code No.	Name of waste
16 05 07*	discarded inorganic chemicals consisting of or containing dangerous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

#### Recommendations for the product

In accordance with regulations for special waste, must be taken to a special waste disposal.  
Collect waste separated in suitable, labeled and lockable containers.  
The waste disposal has to be proved.  
Dispose of as hazardous waste.

#### Recommendations for packaging

Uncontaminated packaging may be taken for recycling.  
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.  
Packaging that cannot be cleaned should be disposed of like the product.

---

### SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-

14.6. Special precautions for user  
No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
No information available.

Land and inland navigation transport ADR/RID  
No dangerous goods as defined by these transport regulations.

Marine transport IMDG  
No hazardous material as defined by the prescriptions.

Air transport ICAO/IATA-DGR  
No hazardous material as defined by the prescriptions.

---

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class 1 slightly hazardous to waters, self-classification

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

---

## SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 20/22 Harmful by inhalation and if swallowed.

R 34 Causes burns.

R 35 Causes severe burns.

R 5 Heating may cause an explosion.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 8 Contact with combustible material may cause fire.

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

---