Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 15.10.2020 revision 15.10.2020 (GB) Version 1.5 Sanosil S015

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Name of product	duct Sanosil S015			
1.2. Relevant identified uses of the substance of	or mixture and uses advised against			
Identified uses				
Sector of uses [SU] SU20 - Health services SU21 - Consumer uses: Private households (= ger SU22 - Professional uses: Public domain (administ	neral public = consumers) tration, education, entertainment, services, craftsmen)			
Product categories [PC] disinfectants				
Recommended intended purpose(s) Disinfectant				
1.3. Details of the supplier of the safety data sh	eet			
Manufacturer/distributor	Sanosil MENA LLC. Dubai Investment Park 2, Dubai, UAE Phone +971 4 887 8758, E-mail info@sanosil-mena.com			
Advice Department of product safety Phone +41 55 254 00 54 (available at office times) E-mail (competent person): info@sanosil.com				
1.4. Emergency telephone number				
Emergency advice	Swiss toxicological Information Center Phone 145 / +41 44 251 51 51			

## **SECTION 2: Hazards identification**

2.1. Classification of the sub Classification according to		
Hazard classes and Hazard categories	Hazard Statements	Classification procedure
Eye Irrit. 2	H319	

Eye Irrit. 2

Hazard statements for health hazards H319 Causes serious eye irritation.

#### Additional hints

The classification is according to the latest editions of the EU-lists, and extended by company and literature data. This mixture is classified as hazardous according to Regulation (EC) No 1272/2008 [GHS].

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



Signal word Warning

Hazard statements for health hazards H319 Causes serious eye irritation.

## **Precautionary Statements**

General P102	Keep out of reach of children.			
Prevention P280	Wear protective gloves/protective clothing/eye protection/face protection.			
Response P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P337 + P313	If eye irritation persists: Get medical advice/attention.			
Disposal P501	Contents / container hand over to an approved waste disposal facility.			
Hazardous ingredients for labeling hydrogen peroxide solution 7.5%				

2.3. Other hazards No information available.

## SECTION 3: Composition/ information on ingredients

3.2. Mixtures Hazardous ingredients							
CAS No	EC No	Name	[%]	Classification according to Regulation (EC) No 1272/2008 [CLP/ GHS]			
7722-84-1	231-765-0	hydrogen peroxide solution%	7.5	Ox. Liq. 1, H271 / Acute Tox. 4, H332 /			
				Acute Tox. 4, H302 / Skin Corr. 1A,			
				H314			
7440-22-4	231-131-3	silver	0.0075				
7732-18-5	231-791-2	water	92.50				

### SECTION 4: First aid measures

4.1. Description of first aid measuresGeneral informationRemove contaminated soaked clothing immediately.In the event of persistent symptoms receive medical treatment.

In case of inhalation Remove the casualty into fresh air and keep him immobile. If intensive inhalation of fumes seek medical treatment immediately. In the event of symptoms refer for medical treatment.

In case of skin contact In case of contact with skin wash off immediately with plenty of water. Consult a doctor if skin irritation persists.

In case of eye contact In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion If swallowed seek medical advice immediately and show the doctor packing or label. Rinse out mouth thoroughly with water. Give plenty of water to drink in small sips.

4.2. Most important symptoms and effects, both acute and delayed No information available.

4.3. Indication of any immediate medical attention and special treatment needed No information available.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media
Suitable extinguishing media
Product does not burn, fire-extinguishing activities according to surrounding.
Alcohol-resistant foam
Dry powder
Carbon dioxide
Water spray jet

Unsuitable extinguishing media Full water jet

5.2. Special hazards arising from the substance or mixtureFire gas of organic material has to be classed invariably as respiratory poison.In case of fire formation of dangerous gases possible.Carbon monoxide (CO)Carbon dioxide (CO2)

5.3. Advice for firefighters
Special protective equipment for fire-fighters
Use breathing apparatus with independent air supply.
Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Safety Data Sheet according to Regulation (EC)No. 1907/2006 (REACH)Printed15.10.2020revision15.10.2020 (GB) Version 1.5Sanosil S015

Additional information Cool endangered containers with water spray jet.

## SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency proceduresFor non-emergency personnelAvoid contact with skin and eyes.Ensure adequate ventilation.Remove persons to safety.Use personal protective clothing.

6.2. Environmental precautionsDo not discharge into the drains/surface waters/groundwater.Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up Ensure adequate ventilation.Send in suitable containers for recovery or disposal.Take up with absorbent material (e.g. general-purpose binder).Do not take up with sawdust or other combustible materials.

Additional Information Informations for safe handling see chapter 7. Informations for personal protective equipment see chapter 8. Informations for disposal see chapter 13.

6.4. Reference to other sections No information available.

## SECTION 7: Handling and storage

7.1. Precautions for safe handling
Advice on safe handling
Keep container tightly closed.
Open and handle container with care!
Use only in well-ventilated areas.
Do not use without breathing apparatus longer than 30 minutes per day. If you use longer, use breathing apparatus (Kap. 8.2)

General protective measures Take the usual precautions when handling chemicals. Avoid contact with the eyes.

Hygiene measures At work do not eat, drink and smoke. Remove soiled or soaked clothing immediately. Keep away from food and drink. Wash hands before breaks and after work.

Advice on protection against fire and explosion The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Keep out of reach of children. Ventilate store-rooms thoroughly. Keep only in original container.

Advice on storage compatibility Do not store with oxidizing agents. Store and transport separate of food.

Further information on storage conditions Keep container tightly closed and store at cool and aired place. Protect from heat and direct solar radiation.

7.3. Specific end use(s) No information available.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
7722-84-1	hydrogen-peroxide	MAK, 8 hours Short-term	0.71 0.71	0.5 0.5	DFG, OSHA, SUVA

8.2. Exposure controls

**Respiratory protection** 

No special measures necessary if used correctly.

Breathing apparatus in the event of high concentrations. Short term: filter apparatus, special gas filter, NO-P3

## Hand protection

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: nitrile rubber or butyle rubber; 0,5 mm; ca 480 Min.

Please observe the glove manufacturer's instructions on permeability and ruptur times as well as the specific workplace conditions.

Eye protection safety goggles with side protection

Other protection measures Light protective clothing.

Appropriate engineering controls Avoid contact with skin and eyes. Care for thorough room ventilation, if necessary provide local air ventilation.

Safety Data Sheet according to Regulation (EC)No. 1907/2006 (REACH)Printed15.10.2020revision15.10.2020GB) Version 1.5Sanosil S015

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties					
Appearance	Colour	Odour			
liquid	colourless	odourless			
Odour threshold not determined					

# Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	2 - 2,5	20 °C			
boiling point	> 100 °C				
melting point	ca. 0 °C				
Flash point	not applicable				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature					The product ist not self-igniting.
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	23 hPa	20 °C			
Relative density	1 g/cm3	20 °C			
Vapour density	not determined				
Solubility in water					completely miscible
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity	not determined				

Oxidising properties not applicable

Explosive properties The product is not explosiv.

9.2. Other information No information available.

### SECTION 10: Stability and reactivity

10.1. Reactivity No information available.

10.2. Chemical stability No information available.

10.3. Possibility of hazardous reactions No information available.

10.4. Conditions to avoid No decomposition if used as directed.

10.5. Incompatible materials Materials to avoid Reactions with strong oxidising agents.

10.6. Hazardous decomposition products No hazardous decomposition products known. No decomposition if used as directed.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	No data available.			
LD50 acute dermal	No data available.			
LC50 acute inhalation	No data available.			
Irritability skin	Due to the product composition slight irritations of the skin cannot be excluded.			
Irritability eye	irritant - risk of strong eye injuries			
Skin sensitization	non-sensitizing			

## Experiences made from practice

Experiences at humans: may cause hypersensitivity reactions on skin in case of persons suffering from hypersensitivity.

Frequent persistent contact with the skin may cause skin irritation.

Frequent contact specially if dried out may cause skin and eye irritations.

Precautionary classification 'irritating' because of pH-value.

#### Additional information

The product was classified on the basis of the calculation procedure of the Regulation (EU) Nr. 1272/2008 (CLP).

The product has not been tested. The information is derived from the properties of the individual components.

## SECTION 12: Ecological information

#### 12.1. Toxicity

Ecotoxicolo	gical effects Value	Species	Method	Validation
Fish	LC50 16,4 mg/l (96 h)	Pimephales promela	as	
Daphnia	EC50 7,7 mg/l (24 h)	Daphnia magna		
Algae	IC50 2,5 mg/l (72 h)	Chlorella vulgaris		
12.2. Persist No informatio	tence and degradability on available.			
12.3. Bioacc No data avai	cumulative potential lable.			
12.4. Mobilit No informatio				
12.5. Results No informatio	s of PBT and vPvB assess on available.	sment		
Behaviour in When low co	adverse effects n sewage plant oncentrations are discharged with the degradation activity			eatment plants,
Ecological dates Do not allow un	ulation le into the drains/surface waters/gro s are not available. controlled leakage of product into the to ecology refers to main component	he environment.		

### **SECTION 13: Disposal considerations**

 13.1. Waste treatment methods

 Waste code No.
 Name of waste

 16 05 07\*
 discarded inorganic chemicals consisting of or containing dangerous substances

 Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product In accordance with regulations for special waste, must be taken to a special waste disposal. Collect waste separated in suitable, labeled and lockable containers. The waste disposal has to be proved. Dispose of as hazardous waste.

Recommendations for packaging Uncontaminated packaging may be taken for recycling. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken fot reuse. Packaging that cannot be cleaned should be disposed of like the product.

## **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name		-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-

14.6. Special precautions for user No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available.

Land and inland navigation transport ADR/RID No dangerous goods as defined by these transport regulations.

Marine transport IMDG No dangerous goods as defined by these transport regulations.

Air transport ICAO/IATA-DGR No dangerous goods as defined by these transport regulations.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 15.10.2020 revision 15.10.2020 (GB) Version 1.5 Sanosil S015

Water hazard class

slightly hazardous to waters, self-classification

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

1

## **SECTION 16: Other information**

Recommended uses and restrictions National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

- H271 May cause fire or explosion; strong oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H332 Harmful if inhaled.